

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	4/1/23		0,000	2,10
Solades	2023	11/1/23		0,000	2,10
Solades	2023	13/1/23		0,000	2,10
Solades	2023	17/1/23		0,000	2,10
Solades	2023	20/1/23		0,000	2,10
Solades	2023	24/1/23		0,000	2,10
Solades	2023	27/1/23		0,000	2,10
Solades	2023	31/1/23		0,000	2,10
Solades	2023	2/2/23		0,000	2,10
Solades	2023	21/2/23		0,000	1,05
Solades	2023	25/2/23		0,000	2,10
Solades	2023	1/3/23	SullicaB	0,046	2,10
Solades	2023	4/3/23		0,000	2,10
Solades	2023	7/3/23		0,000	2,10
Solades	2023	9/3/23	SullicaB	0,046	1,05
Solades	2023	11/3/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	14/3/23	Materia Orgánica	0,667	2,10
Solades	2023	16/3/23	Materia Orgánica	0,801	2,10
Solades	2023	18/3/23		0,000	2,10
Solades	2023	21/3/23	Materia Orgánica	0,771	2,10
Solades	2023	23/3/23	Materia Orgánica	0,284	2,10
Solades	2023	25/3/23		0,000	2,10
Solades	2023	28/3/23	SullicaB	0,371	2,10
Solades	2023	29/3/23	Urea	0,371	2,10
Solades	2023	29/3/23	Five TT Transport Tnf	0,007	0,00
Solades	2023	31/3/23	SullicaB	0,445	2,10
Solades	2023	1/4/23		0,000	2,10
Solades	2023	3/4/23	SullicaB	0,445	2,10
Solades	2023	5/4/23	Urea	0,445	2,10
Solades	2023	6/4/23	SullicaB	0,398	2,10
Solades	2023	8/4/23		0,000	2,10
Solades	2023	11/4/23	SullicaB	0,319	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	12/4/23	SullicaB	0,222	2,10
Solades	2023	14/4/23	SullicaB	0,148	2,10
Solades	2023	15/4/23		0,000	2,10
Solades	2023	17/4/23		0,000	2,10
Solades	2023	19/4/23	Sulfato de Hierro	0,237	2,10
Solades	2023	19/4/23	Five TT Transport Tnf	0,005	0,00
Solades	2023	20/4/23	Sulfato de Hierro	0,163	2,10
Solades	2023	20/4/23	Five TT Transport Tnf	0,003	0,00
Solades	2023	22/4/23		0,000	2,10
Solades	2023	24/4/23	SullicaB	0,133	2,10
Solades	2023	25/4/23	SullicaB	0,245	2,10
Solades	2023	26/4/23	SullicaB	0,222	2,10
Solades	2023	27/4/23	SullicaB	0,267	2,10
Solades	2023	29/4/23		0,000	2,10
Solades	2023	1/5/23	SullicaB	0,298	2,10
Solades	2023	2/5/23	SullicaB	0,265	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	3/5/23	SullicaB	0,219	2,10
Solades	2023	4/5/23	SullicaB	0,243	2,10
Solades	2023	6/5/23		0,000	2,10
Solades	2023	8/5/23	SullicaB	0,178	2,10
Solades	2023	9/5/23	SullicaB	0,252	2,10
Solades	2023	10/5/23		0,000	2,10
Solades	2023	11/5/23		0,000	2,10
Solades	2023	13/5/23		0,000	2,10
Solades	2023	15/5/23		0,000	2,10
Solades	2023	16/5/23	Bioqel	0,282	2,10
Solades	2023	17/5/23	Urea	0,534	2,10
Solades	2023	18/5/23	Urea	0,949	2,10
Solades	2023	20/5/23		0,000	2,10
Solades	2023	22/5/23	SullicaB	0,000	2,10
Solades	2023	23/5/23	Sulfato de Manganeso	0,741	2,10
Solades	2023	6/6/23	Haifa Mag	0,297	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	7/6/23	Haifa Mag	0,385	2,10
Solades	2023	8/6/23	Haifa Mag	0,400	2,10
Solades	2023	10/6/23		0,000	2,10
Solades	2023	12/6/23	Haifa Mag	0,400	2,10
Solades	2023	13/6/23	Sulfato de Zinc	0,600	2,10
Solades	2023	16/6/23	Urea	0,362	2,10
Solades	2023	17/6/23		0,000	2,10
Solades	2023	19/6/23	Urea	0,297	2,10
Solades	2023	20/6/23	SullicaB	0,282	2,10
Solades	2023	21/6/23	SullicaB	0,252	2,10
Solades	2023	22/6/23	ACM Magnesio	0,301	2,10
Solades	2023	24/6/23		0,000	2,10
Solades	2023	26/6/23	SullicaB	0,163	2,10
Solades	2023	27/6/23	Urea	0,297	2,10
Solades	2023	28/6/23	Urea	0,240	2,10
Solades	2023	29/6/23	FicoLim	0,004	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	30/6/23	FicoLim	0,004	2,10
Solades	2023	1/7/23		0,000	2,10
Solades	2023	3/7/23	SullicaB	0,237	2,10
Solades	2023	4/7/23	Urea	0,326	2,10
Solades	2023	5/7/23	Urea	0,193	2,10
Solades	2023	6/7/23	SullicaB	0,178	2,10
Solades	2023	7/7/23	Urea	0,237	2,10
Solades	2023	8/7/23		0,000	2,10
Solades	2023	9/7/23		0,000	2,10
Solades	2023	10/7/23	SullicaB	0,119	2,10
Solades	2023	11/7/23	Cloruro de Potasa	0,819	2,10
Solades	2023	12/7/23	Cloruro de Potasa	0,430	2,10
Solades	2023	13/7/23	SullicaB	0,193	2,10
Solades	2023	14/7/23	Cloruro de Potasa	0,193	2,10
Solades	2023	15/7/23		0,000	2,10
Solades	2023	16/7/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	17/7/23	SullicaB	0,148	2,10
Solades	2023	18/7/23	Cloruro de Potasa	0,745	2,10
Solades	2023	19/7/23	Cloruro de Potasa	0,417	2,10
Solades	2023	20/7/23	SullicaB	0,059	2,10
Solades	2023	21/7/23	Cloruro de Potasa	0,297	2,10
Solades	2023	22/7/23		0,000	2,10
Solades	2023	23/7/23		0,000	2,10
Solades	2023	24/7/23		0,000	2,10
Solades	2023	25/7/23	Urea	0,474	2,10
Solades	2023	26/7/23	Cloruro de Potasa	0,289	2,10
Solades	2023	27/7/23	Urea	0,483	2,10
Solades	2023	28/7/23		0,000	2,10
Solades	2023	29/7/23		0,000	2,10
Solades	2023	30/7/23		0,000	2,10
Solades	2023	31/7/23	Cloruro de Potasa	0,311	2,10
Solades	2023	1/8/23	Urea	0,638	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	2/8/23	Urea	0,608	2,10
Solades	2023	3/8/23	SullicaB	0,074	2,10
Solades	2023	4/8/23	Cloruro de Potasa	0,745	2,10
Solades	2023	5/8/23		0,000	2,10
Solades	2023	6/8/23		0,000	2,10
Solades	2023	7/8/23	SullicaB	0,059	2,10
Solades	2023	8/8/23	Cloruro de Potasa	0,756	2,10
Solades	2023	9/8/23	Cloruro de Potasa	0,719	2,10
Solades	2023	10/8/23	SullicaB	0,059	2,10
Solades	2023	11/8/23	Urea	0,600	2,10
Solades	2023	12/8/23		0,000	2,10
Solades	2023	13/8/23		0,000	2,10
Solades	2023	14/8/23	Cloruro de Potasa	0,753	2,10
Solades	2023	15/8/23	Bioqel	0,111	2,10
Solades	2023	16/8/23	Bioqel	0,111	2,10
Solades	2023	17/8/23	Urea	0,566	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	18/8/23	SullicaB	0,111	2,10
Solades	2023	21/8/23	SullicaB	0,086	2,10
Solades	2023	22/8/23	Urea	0,578	2,10
Solades	2023	23/8/23	Cloruro de Potasa	0,227	2,10
Solades	2023	24/8/23	Cloruro de Potasa	0,635	2,10
Solades	2023	25/8/23	SullicaB	0,119	2,10
Solades	2023	26/8/23		0,000	2,10
Solades	2023	28/8/23	SullicaB	0,096	2,10
Solades	2023	29/8/23	Urea	0,148	2,10
Solades	2023	30/8/23	Urea	0,667	2,10
Solades	2023	31/8/23	SullicaB	0,178	2,10
Solades	2023	1/9/23	Urea	0,786	2,10
Solades	2023	1/9/23	Five TT Transport Tnf	0,019	0,00
Solades	2023	9/9/23		0,000	2,10
Solades	2023	11/9/23	SullicaB	0,074	2,10
Solades	2023	12/9/23	Urea	0,923	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	12/9/23	Five TT Transport Tnf	0,015	0,00
Solades	2023	27/9/23	Urea	0,818	2,10
Solades	2023	27/9/23	Five TT Transport Tnf	0,019	0,00
Solades	2023	28/9/23	Urea	0,675	2,10
Solades	2023	28/9/23	Five TT Transport Tnf	0,021	0,00
Solades	2023	30/9/23		0,000	2,10
Solades	2023	2/10/23	Novain L Hemung	1,263	2,10
Solades	2023	2/10/23	Urea	0,116	0,00
Solades	2023	3/10/23	Novain L Hemung	1,585	2,10
Solades	2023	3/10/23	Five TT Transport Tnf	0,033	0,00
Solades	2023	4/10/23	Novain L Hemung	1,556	2,10
Solades	2023	5/10/23	Novain L Hemung	1,571	2,10
Solades	2023	7/10/23		0,000	2,10
Solades	2023	10/10/23	Novain L Hemung	1,493	2,10
Solades	2023	11/10/23	Novain L Hemung	1,515	2,10
Solades	2023	13/10/23	Novain L Hemung	1,560	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Solades	2023	14/10/23		0,000	2,10
Solades	2023	16/10/23	SullicaB	0,474	2,10
Solades	2023	17/10/23	Novain L Hemung	1,553	2,10
Solades	2023	19/10/23	Novain L Hemung	0,860	2,10
Solades	2023	21/10/23		0,000	2,10
Solades	2023	23/10/23	SullicaB	0,074	2,10
Solades	2023	24/10/23	Novain L Hemung	0,733	2,10
Solades	2023	26/10/23	Cloruro de Potasa	1,530	2,10
Solades	2023	30/10/23	SullicaB	0,302	2,10
Solades	2023	31/10/23	Cloruro de Potasa	1,530	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	4/1/23		0,000	2,10
Cariñena	2023	11/1/23		0,000	2,10
Cariñena	2023	13/1/23		0,000	2,10
Cariñena	2023	17/1/23		0,000	2,10
Cariñena	2023	20/1/23		0,000	2,10
Cariñena	2023	24/1/23		0,000	2,10
Cariñena	2023	27/1/23		0,000	2,10
Cariñena	2023	31/1/23		0,000	2,10
Cariñena	2023	3/2/23		0,000	2,10
Cariñena	2023	21/2/23		0,000	1,05
Cariñena	2023	25/2/23		0,000	2,10
Cariñena	2023	1/3/23	SullicaB	0,187	2,10
Cariñena	2023	4/3/23		0,000	2,10
Cariñena	2023	7/3/23	SullicaB	0,188	2,10
Cariñena	2023	9/3/23		0,000	1,05
Cariñena	2023	11/3/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	14/3/23	Materia Orgánica	0,758	2,10
Cariñena	2023	16/3/23	Materia Orgánica	0,758	2,10
Cariñena	2023	18/3/23		0,000	2,10
Cariñena	2023	21/3/23	Materia Orgánica	0,379	2,10
Cariñena	2023	23/3/23	Materia Orgánica	0,379	2,10
Cariñena	2023	25/3/23		0,000	2,10
Cariñena	2023	28/3/23	SullicaB	0,455	2,10
Cariñena	2023	29/3/23	Urea	0,379	2,10
Cariñena	2023	29/3/23	Five TT Transport Tnf	0,008	0,00
Cariñena	2023	31/3/23	SullicaB	0,379	2,10
Cariñena	2023	1/4/23		0,000	2,10
Cariñena	2023	3/4/23	SullicaB	0,379	2,10
Cariñena	2023	5/4/23	Urea	0,074	2,10
Cariñena	2023	6/4/23	SullicaB	0,379	2,10
Cariñena	2023	8/4/23		0,000	2,10
Cariñena	2023	11/4/23	SullicaB	0,190	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	12/4/23	SullicaB	0,379	2,10
Cariñena	2023	14/4/23	SullicaB	0,114	2,10
Cariñena	2023	15/4/23		0,000	2,10
Cariñena	2023	17/4/23		0,000	2,10
Cariñena	2023	19/4/23	Sulfato de Hierro	0,265	2,10
Cariñena	2023	19/4/23	Five TT Transport Tnf	0,005	0,00
Cariñena	2023	20/4/23	Sulfato de Hierro	0,152	2,10
Cariñena	2023	20/4/23	Five TT Transport Tnf	0,003	0,00
Cariñena	2023	22/4/23		0,000	2,10
Cariñena	2023	24/4/23		0,000	2,10
Cariñena	2023	25/4/23		0,000	2,10
Cariñena	2023	26/4/23	SullicaB	0,190	2,10
Cariñena	2023	27/4/23	SullicaB	0,190	2,10
Cariñena	2023	29/4/23		0,000	2,10
Cariñena	2023	1/5/23	SullicaB	0,076	2,10
Cariñena	2023	2/5/23	SullicaB	0,076	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	3/5/23	SullicaB	0,152	2,10
Cariñena	2023	4/5/23	SullicaB	0,190	2,10
Cariñena	2023	6/5/23		0,000	2,10
Cariñena	2023	8/5/23	SullicaB	0,190	2,10
Cariñena	2023	9/5/23	SullicaB	0,379	2,10
Cariñena	2023	10/5/23	SullicaB	0,076	2,10
Cariñena	2023	11/5/23	SullicaB	0,076	2,10
Cariñena	2023	13/5/23		0,000	2,10
Cariñena	2023	15/5/23		0,000	2,10
Cariñena	2023	16/5/23	Bioqel	0,303	2,10
Cariñena	2023	17/5/23	Urea	0,607	2,10
Cariñena	2023	18/5/23	Urea	0,910	2,10
Cariñena	2023	20/5/23		0,000	2,10
Cariñena	2023	22/5/23	SullicaB	0,000	2,10
Cariñena	2023	23/5/23	Sulfato de Manganeso	0,758	2,10
Cariñena	2023	6/6/23	Haifa Mag	0,455	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	7/6/23	Haifa Mag	0,379	2,10
Cariñena	2023	8/6/23	Haifa Mag	0,265	2,10
Cariñena	2023	10/6/23		0,000	2,10
Cariñena	2023	12/6/23	Haifa Mag	0,265	2,10
Cariñena	2023	13/6/23	Sulfato de Zinc	0,379	2,10
Cariñena	2023	16/6/23	Urea	0,273	2,10
Cariñena	2023	17/6/23		0,000	2,10
Cariñena	2023	19/6/23	Urea	0,273	2,10
Cariñena	2023	20/6/23	SullicaB	0,379	2,10
Cariñena	2023	21/6/23	SullicaB	0,379	2,10
Cariñena	2023	22/6/23	ACM Magnesio	0,296	2,10
Cariñena	2023	24/6/23		0,000	2,10
Cariñena	2023	26/6/23	SullicaB	0,379	2,10
Cariñena	2023	27/6/23	Urea	0,273	2,10
Cariñena	2023	28/6/23	Urea	0,273	2,10
Cariñena	2023	29/6/23	FicoLim	0,005	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	30/6/23	FicoLim	0,005	2,10
Cariñena	2023	1/7/23		0,000	2,10
Cariñena	2023	3/7/23	SullicaB	0,190	2,10
Cariñena	2023	4/7/23	Urea	0,569	2,10
Cariñena	2023	5/7/23	Urea	0,265	2,10
Cariñena	2023	6/7/23	SullicaB	0,379	2,10
Cariñena	2023	7/7/23	Urea	0,171	2,10
Cariñena	2023	8/7/23		0,000	2,10
Cariñena	2023	9/7/23		0,000	2,10
Cariñena	2023	10/7/23	SullicaB	0,152	2,10
Cariñena	2023	11/7/23	Sulfato de Zinc	0,152	2,10
Cariñena	2023	12/7/23	Sulfato de Zinc	0,227	2,10
Cariñena	2023	13/7/23	SullicaB	0,190	2,10
Cariñena	2023	14/7/23	Urea	0,186	2,10
Cariñena	2023	15/7/23		0,000	2,10
Cariñena	2023	16/7/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	17/7/23	SullicaB	0,114	2,10
Cariñena	2023	18/7/23	Cloruro de Potasa	0,379	2,10
Cariñena	2023	19/7/23	Cloruro de Potasa	0,379	2,10
Cariñena	2023	20/7/23	SullicaB	0,038	2,10
Cariñena	2023	21/7/23	Cloruro de Potasa	0,190	2,10
Cariñena	2023	22/7/23		0,000	2,10
Cariñena	2023	23/7/23		0,000	2,10
Cariñena	2023	24/7/23		0,000	2,10
Cariñena	2023	25/7/23	Urea	0,265	2,10
Cariñena	2023	26/7/23	Cloruro de Potasa	0,171	2,10
Cariñena	2023	27/7/23	Urea	0,334	2,10
Cariñena	2023	28/7/23		0,000	2,10
Cariñena	2023	29/7/23		0,000	2,10
Cariñena	2023	30/7/23		0,000	2,10
Cariñena	2023	31/7/23	Cloruro de Potasa	0,190	2,10
Cariñena	2023	1/8/23	Urea	0,455	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	2/8/23	Urea	0,447	2,10
Cariñena	2023	3/8/23	SullicaB	0,227	2,10
Cariñena	2023	4/8/23	Cloruro de Potasa	0,379	2,10
Cariñena	2023	5/8/23		0,000	2,10
Cariñena	2023	6/8/23		0,000	2,10
Cariñena	2023	7/8/23	SullicaB	0,152	2,10
Cariñena	2023	8/8/23	Cloruro de Potasa	0,986	2,10
Cariñena	2023	9/8/23	Cloruro de Potasa	0,986	2,10
Cariñena	2023	10/8/23	SullicaB	0,152	2,10
Cariñena	2023	11/8/23	Urea	0,910	2,10
Cariñena	2023	12/8/23		0,000	2,10
Cariñena	2023	13/8/23		0,000	2,10
Cariñena	2023	14/8/23	Cloruro de Potasa	1,213	2,10
Cariñena	2023	15/8/23	Bioqel	0,095	2,10
Cariñena	2023	16/8/23	Bioqel	0,095	2,10
Cariñena	2023	17/8/23	Urea	0,986	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	18/8/23	SullicaB	0,076	2,10
Cariñena	2023	21/8/23	SullicaB	0,038	2,10
Cariñena	2023	22/8/23	Urea	0,948	2,10
Cariñena	2023	23/8/23	Cloruro de Potasa	0,872	2,10
Cariñena	2023	24/8/23	Cloruro de Potasa	0,910	2,10
Cariñena	2023	25/8/23	SullicaB	0,038	2,10
Cariñena	2023	26/8/23		0,000	2,10
Cariñena	2023	29/8/23	Urea	0,379	2,10
Cariñena	2023	30/8/23	Urea	0,379	2,10
Cariñena	2023	31/8/23	SullicaB	0,076	2,10
Cariñena	2023	1/9/23	Cloruro de Potasa	0,379	2,10
Cariñena	2023	1/9/23	Five TT Transport Tnf	0,019	0,00
Cariñena	2023	9/9/23		0,000	2,10
Cariñena	2023	11/9/23		0,000	2,10
Cariñena	2023	12/9/23	Cloruro de Potasa	0,227	2,10
Cariñena	2023	12/9/23	Five TT Transport Tnf	0,019	0,00

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	27/9/23	Urea	0,379	2,10
Cariñena	2023	27/9/23	Five TT Transport Tnf	0,015	0,00
Cariñena	2023	28/9/23	Urea	0,152	2,10
Cariñena	2023	28/9/23	Five TT Transport Tnf	0,015	0,00
Cariñena	2023	30/9/23		0,000	2,10
Cariñena	2023	2/10/23	Urea	1,061	2,10
Cariñena	2023	3/10/23	Urea	1,024	2,10
Cariñena	2023	3/10/23	Five TT Transport Tnf	0,037	0,00
Cariñena	2023	4/10/23	Urea	1,100	2,10
Cariñena	2023	5/10/23	Urea	1,100	2,10
Cariñena	2023	7/10/23		0,000	2,10
Cariñena	2023	10/10/23	Novain L Hemung	0,819	2,10
Cariñena	2023	11/10/23	Novain L Hemung	0,770	2,10
Cariñena	2023	13/10/23	Novain L Hemung	0,762	2,10
Cariñena	2023	14/10/23		0,000	2,10
Cariñena	2023	16/10/23	SullicaB	0,095	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cariñena	2023	17/10/23	Novain L Hemung	0,776	2,10
Cariñena	2023	19/10/23	Novain L Hemung	0,847	2,10
Cariñena	2023	21/10/23		0,000	2,10
Cariñena	2023	23/10/23	SullicaB	0,038	2,10
Cariñena	2023	24/10/23	Cloruro de Potasa	1,130	2,10
Cariñena	2023	26/10/23	Novain L Hemung	2,729	2,10
Cariñena	2023	30/10/23	SullicaB	0,625	2,10
Cariñena	2023	31/10/23	Cloruro de Potasa	1,164	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	4/1/23		0,000	2,10
Cap de Terme	2023	11/1/23		0,000	2,10
Cap de Terme	2023	13/1/23		0,000	2,10
Cap de Terme	2023	17/1/23		0,000	2,10
Cap de Terme	2023	20/1/23		0,000	2,10
Cap de Terme	2023	24/1/23		0,000	2,10
Cap de Terme	2023	27/1/23		0,000	2,10
Cap de Terme	2023	31/1/23		0,000	2,10
Cap de Terme	2023	3/2/23		0,000	2,10
Cap de Terme	2023	21/2/23		0,000	1,05
Cap de Terme	2023	25/2/23		0,000	2,10
Cap de Terme	2023	1/3/23	SullicaB	0,146	2,10
Cap de Terme	2023	4/3/23		0,000	2,10
Cap de Terme	2023	7/3/23	SullicaB	0,146	2,10
Cap de Terme	2023	9/3/23		0,000	1,05
Cap de Terme	2023	11/3/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabecal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	14/3/23	Materia Orgánica	0,384	2,10
Cap de Terme	2023	16/3/23	Materia Orgánica	0,786	2,10
Cap de Terme	2023	18/3/23		0,000	2,10
Cap de Terme	2023	21/3/23	Materia Orgánica	0,602	2,10
Cap de Terme	2023	23/3/23	Materia Orgánica	0,603	2,10
Cap de Terme	2023	25/3/23		0,000	2,10
Cap de Terme	2023	28/3/23	SullicaB	0,360	2,10
Cap de Terme	2023	29/3/23	Urea	0,420	2,10
Cap de Terme	2023	29/3/23	Five TT Transport Tnf	0,008	0,00
Cap de Terme	2023	31/3/23	SullicaB	0,420	2,10
Cap de Terme	2023	1/4/23		0,000	2,10
Cap de Terme	2023	3/4/23	SullicaB	0,420	2,10
Cap de Terme	2023	5/4/23	Urea	0,420	2,10
Cap de Terme	2023	6/4/23	SullicaB	0,312	2,10
Cap de Terme	2023	8/4/23		0,000	2,10
Cap de Terme	2023	11/4/23	SullicaB	0,120	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	12/4/23	SullicaB	0,276	2,10
Cap de Terme	2023	14/4/23	SullicaB	0,180	2,10
Cap de Terme	2023	15/4/23		0,000	2,10
Cap de Terme	2023	17/4/23		0,000	2,10
Cap de Terme	2023	19/4/23	Sulfato de Hierro	0,204	2,10
Cap de Terme	2023	19/4/23	Five TT Transport Tnf	0,004	0,00
Cap de Terme	2023	20/4/23	Sulfato de Hierro	0,186	2,10
Cap de Terme	2023	20/4/23	Five TT Transport Tnf	0,004	0,00
Cap de Terme	2023	22/4/23		0,000	2,10
Cap de Terme	2023	24/4/23	SullicaB	0,063	2,10
Cap de Terme	2023	25/4/23	SullicaB	0,297	2,10
Cap de Terme	2023	26/4/23	SullicaB	0,192	2,10
Cap de Terme	2023	27/4/23	SullicaB	0,264	2,10
Cap de Terme	2023	29/4/23		0,000	2,10
Cap de Terme	2023	1/5/23	SullicaB	0,296	2,10
Cap de Terme	2023	2/5/23	SullicaB	0,305	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	3/5/23	SullicaB	0,307	2,10
Cap de Terme	2023	4/5/23	SullicaB	0,306	2,10
Cap de Terme	2023	6/5/23		0,000	2,10
Cap de Terme	2023	8/5/23	SullicaB	0,216	2,10
Cap de Terme	2023	9/5/23	SullicaB	0,231	2,10
Cap de Terme	2023	10/5/23	SullicaB	0,055	2,10
Cap de Terme	2023	11/5/23		0,000	2,10
Cap de Terme	2023	13/5/23		0,000	2,10
Cap de Terme	2023	15/5/23		0,000	2,10
Cap de Terme	2023	16/5/23	Bioqel	0,288	2,10
Cap de Terme	2023	17/5/23	Urea	0,480	2,10
Cap de Terme	2023	18/5/23	Urea	0,960	2,10
Cap de Terme	2023	20/5/23		0,000	2,10
Cap de Terme	2023	22/5/23	SullicaB	0,000	2,10
Cap de Terme	2023	23/5/23	Sulfato de Manganeso	0,780	2,10
Cap de Terme	2023	6/6/23	Haifa Mag	0,480	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	7/6/23	Haifa Mag	0,540	2,10
Cap de Terme	2023	8/6/23	Haifa Mag	0,228	2,10
Cap de Terme	2023	10/6/23		0,000	2,10
Cap de Terme	2023	12/6/23	Haifa Mag	0,216	2,10
Cap de Terme	2023	13/6/23	Sulfato de Zinc	0,444	2,10
Cap de Terme	2023	16/6/23	Urea	0,293	2,10
Cap de Terme	2023	17/6/23		0,000	2,10
Cap de Terme	2023	19/6/23	Urea	0,293	2,10
Cap de Terme	2023	20/6/23	SullicaB	0,252	2,10
Cap de Terme	2023	21/6/23	SullicaB	0,312	2,10
Cap de Terme	2023	22/6/23	ACM Magnesio	0,310	2,10
Cap de Terme	2023	24/6/23		0,000	2,10
Cap de Terme	2023	26/6/23	SullicaB	0,192	2,10
Cap de Terme	2023	27/6/23	Urea	0,293	2,10
Cap de Terme	2023	28/6/23	Urea	0,293	2,10
Cap de Terme	2023	29/6/23	FicoLim	0,004	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	30/6/23	FicoLim	0,004	2,10
Cap de Terme	2023	1/7/23		0,000	2,10
Cap de Terme	2023	3/7/23	SullicaB	0,240	2,10
Cap de Terme	2023	4/7/23	Urea	0,312	2,10
Cap de Terme	2023	5/7/23	Urea	0,348	2,10
Cap de Terme	2023	6/7/23	SullicaB	0,240	2,10
Cap de Terme	2023	7/7/23	Urea	0,276	2,10
Cap de Terme	2023	8/7/23		0,000	2,10
Cap de Terme	2023	9/7/23		0,000	2,10
Cap de Terme	2023	10/7/23	SullicaB	0,210	2,10
Cap de Terme	2023	11/7/23	Cloruro de Potasa	0,490	2,10
Cap de Terme	2023	12/7/23	Cloruro de Potasa	0,360	2,10
Cap de Terme	2023	13/7/23	SullicaB	0,120	2,10
Cap de Terme	2023	14/7/23	Cloruro de Potasa	0,198	2,10
Cap de Terme	2023	15/7/23		0,000	2,10
Cap de Terme	2023	16/7/23		0,000	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	17/7/23	SullicaB	0,114	2,10
Cap de Terme	2023	18/7/23	Cloruro de Potasa	0,467	2,10
Cap de Terme	2023	19/7/23	Cloruro de Potasa	0,233	2,10
Cap de Terme	2023	20/7/23		0,000	2,10
Cap de Terme	2023	21/7/23	Cloruro de Potasa	0,300	2,10
Cap de Terme	2023	22/7/23		0,000	2,10
Cap de Terme	2023	23/7/23		0,000	2,10
Cap de Terme	2023	24/7/23		0,000	2,10
Cap de Terme	2023	25/7/23	Urea	0,342	2,10
Cap de Terme	2023	26/7/23	Cloruro de Potasa	0,336	2,10
Cap de Terme	2023	27/7/23	Urea	0,455	2,10
Cap de Terme	2023	28/7/23		0,000	2,10
Cap de Terme	2023	29/7/23		0,000	2,10
Cap de Terme	2023	30/7/23		0,000	2,10
Cap de Terme	2023	31/7/23	Cloruro de Potasa	0,372	2,10
Cap de Terme	2023	1/8/23	Urea	0,624	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	2/8/23	Urea	0,606	2,10
Cap de Terme	2023	3/8/23	SullicaB	0,060	2,10
Cap de Terme	2023	4/8/23	Cloruro de Potasa	0,454	2,10
Cap de Terme	2023	5/8/23		0,000	2,10
Cap de Terme	2023	6/8/23		0,000	2,10
Cap de Terme	2023	7/8/23	SullicaB	0,072	2,10
Cap de Terme	2023	8/8/23	Cloruro de Potasa	0,456	2,10
Cap de Terme	2023	9/8/23	Cloruro de Potasa	0,462	2,10
Cap de Terme	2023	10/8/23	SullicaB	0,063	2,10
Cap de Terme	2023	11/8/23	Urea	0,624	2,10
Cap de Terme	2023	12/8/23		0,000	2,10
Cap de Terme	2023	13/8/23		0,000	2,10
Cap de Terme	2023	14/8/23	Cloruro de Potasa	0,590	2,10
Cap de Terme	2023	15/8/23	Bioqel	0,105	2,10
Cap de Terme	2023	16/8/23	Bioqel	0,105	2,10
Cap de Terme	2023	17/8/23	Urea	0,636	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	18/8/23	SullicaB	0,120	2,10
Cap de Terme	2023	21/8/23	SullicaB	0,120	2,10
Cap de Terme	2023	22/8/23	Urea	0,648	2,10
Cap de Terme	2023	23/8/23	Cloruro de Potasa	0,590	2,10
Cap de Terme	2023	24/8/23	Cloruro de Potasa	0,578	2,10
Cap de Terme	2023	25/8/23	SullicaB	0,102	2,10
Cap de Terme	2023	26/8/23		0,000	2,10
Cap de Terme	2023	29/8/23	Urea	0,360	0,00
Cap de Terme	2023	30/8/23	Urea	0,546	2,10
Cap de Terme	2023	31/8/23	SullicaB	0,156	2,10
Cap de Terme	2023	1/9/23	Urea	0,504	2,10
Cap de Terme	2023	1/9/23	Five TT Transport Tnf	0,018	0,00
Cap de Terme	2023	9/9/23		0,000	2,10
Cap de Terme	2023	11/9/23	SullicaB	0,120	2,10
Cap de Terme	2023	12/9/23	Urea	0,554	2,10
Cap de Terme	2023	12/9/23	Five TT Transport Tnf	0,018	0,00

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	27/9/23	Urea	0,379	2,10
Cap de Terme	2023	27/9/23	Five TT Transport Tnf	0,017	0,00
Cap de Terme	2023	28/9/23	Urea	0,387	2,10
Cap de Terme	2023	28/9/23	Five TT Transport Tnf	0,018	0,00
Cap de Terme	2023	30/9/23		0,000	2,10
Cap de Terme	2023	2/10/23	Novain L Hemung	1,373	2,10
Cap de Terme	2023	3/10/23	Novain L Hemung	1,365	2,10
Cap de Terme	2023	3/10/23	Five TT Transport Tnf	0,035	0,00
Cap de Terme	2023	4/10/23	Novain L Hemung	1,365	2,10
Cap de Terme	2023	5/10/23	Novain L Hemung	1,371	2,10
Cap de Terme	2023	7/10/23		0,000	2,10
Cap de Terme	2023	10/10/23	Novain L Hemung	1,341	2,10
Cap de Terme	2023	11/10/23	Novain L Hemung	1,338	2,10
Cap de Terme	2023	13/10/23	Novain L Hemung	1,287	2,10
Cap de Terme	2023	14/10/23		0,000	2,10
Cap de Terme	2023	16/10/23	SullicaB	0,420	2,10

Comunitat de Regants Vila-real



Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3/hg
Cap de Terme	2023	17/10/23	Novain L Hemung	1,323	2,10
Cap de Terme	2023	19/10/23	Novain L Hemung	0,891	2,10
Cap de Terme	2023	21/10/23		0,000	2,10
Cap de Terme	2023	23/10/23	SullicaB	0,060	2,10
Cap de Terme	2023	24/10/23	Novain L Hemung	0,651	2,10
Cap de Terme	2023	26/10/23	Cloruro de Potasa	1,880	2,10
Cap de Terme	2023	30/10/23	SullicaB	0,267	2,10
Cap de Terme	2023	31/10/23	Cloruro de Potasa	1,522	2,10