

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	4/1/23		0,00	2,10
Solades	2023	11/1/23		0,00	2,10
Solades	2023	13/1/23		0,00	2,10
Solades	2023	17/1/23		0,00	2,10
Solades	2023	20/1/23		0,00	2,10
Solades	2023	24/1/23		0,00	2,10
Solades	2023	27/1/23		0,00	2,10
Solades	2023	31/1/23		0,00	2,10
Solades	2023	2/2/23		0,00	2,10
Solades	2023	21/2/23		0,00	1,05
Solades	2023	25/2/23		0,00	2,10
Solades	2023	1/3/23	SullicaB	0,05	2,10
Solades	2023	4/3/23		0,00	2,10
Solades	2023	7/3/23		0,00	2,10
Solades	2023	9/3/23	SullicaB	0,05	1,05
Solades	2023	11/3/23		0,00	2,10
Solades	2023	16/3/23	Materia Orgánica	0,80	2,10
Solades	2023	18/3/23		0,00	2,10
Solades	2023	21/3/23	Materia Orgánica	0,77	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	23/3/23	Materia Orgánica	0,28	2,10
Solades	2023	25/3/23		0,00	2,10
Solades	2023	28/3/23	SullicaB	0,37	2,10
Solades	2023	29/3/23	Urea	0,37	2,10
Solades	2023	29/3/23	Five TT Transport Tnf	0,01	0,00
Solades	2023	31/3/23	SullicaB	0,44	2,10
Solades	2023	1/4/23		0,00	2,10
Solades	2023	3/4/23	SullicaB	0,44	2,10
Solades	2023	5/4/23	Urea	0,44	2,10
Solades	2023	6/4/23	SullicaB	0,40	2,10
Solades	2023	8/4/23		0,00	2,10
Solades	2023	11/4/23	SullicaB	0,32	2,10
Solades	2023	12/4/23	SullicaB	0,22	2,10
Solades	2023	14/4/23	SullicaB	0,15	2,10
Solades	2023	15/4/23		0,00	2,10
Solades	2023	17/4/23		0,00	2,10
Solades	2023	19/4/23	Sulfato de Hierro	0,24	2,10
Solades	2023	19/4/23	Five TT Transport Tnf	0,00	0,00
Solades	2023	20/4/23	Sulfato de Hierro	0,16	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	20/4/23	Five TT Transport Tnf	0,00	0,00
Solades	2023	22/4/23		0,00	2,10
Solades	2023	24/4/23	SullicaB	0,13	2,10
Solades	2023	25/4/23	SullicaB	0,24	2,10
Solades	2023	26/4/23	SullicaB	0,22	2,10
Solades	2023	27/4/23	SullicaB	0,27	2,10
Solades	2023	29/4/23		0,00	2,10
Solades	2023	1/5/23	SullicaB	0,30	2,10
Solades	2023	2/5/23	SullicaB	0,26	2,10
Solades	2023	3/5/23	SullicaB	0,22	2,10
Solades	2023	4/5/23	SullicaB	0,24	2,10
Solades	2023	6/5/23		0,00	2,10
Solades	2023	8/5/23	SullicaB	0,18	2,10
Solades	2023	9/5/23	SullicaB	0,25	2,10
Solades	2023	10/5/23		0,00	2,10
Solades	2023	11/5/23		0,00	2,10
Solades	2023	13/5/23		0,00	2,10
Solades	2023	15/5/23		0,00	2,10
Solades	2023	16/5/23	Bioqel	0,28	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	17/5/23	Urea	0,53	2,10
Solades	2023	18/5/23	Urea	0,95	2,10
Solades	2023	20/5/23		0,00	2,10
Solades	2023	22/5/23	SullicaB	0,00	2,10
Solades	2023	23/5/23	Sulfato de Manganeso	0,74	2,10
Solades	2023	6/6/23	Haifa Mag	0,30	2,10
Solades	2023	7/6/23	Haifa Mag	0,39	2,10
Solades	2023	8/6/23	Haifa Mag	0,40	2,10
Solades	2023	10/6/23		0,00	2,10
Solades	2023	12/6/23	Haifa Mag	0,40	2,10
Solades	2023	13/6/23	Sulfato de Zinc	0,60	2,10
Solades	2023	16/6/23	Urea	0,36	2,10
Solades	2023	17/6/23		0,00	2,10
Solades	2023	19/6/23	Urea	0,30	2,10
Solades	2023	20/6/23	SullicaB	0,28	2,10
Solades	2023	21/6/23	SullicaB	0,25	2,10
Solades	2023	22/6/23	ACM Magnesio	0,30	2,10
Solades	2023	24/6/23		0,00	2,10
Solades	2023	26/6/23	SullicaB	0,16	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	27/6/23	Urea	0,30	2,10
Solades	2023	28/6/23	Urea	0,24	2,10
Solades	2023	29/6/23	FicoLim	0,00	2,10
Solades	2023	30/6/23	FicoLim	0,00	2,10
Solades	2023	1/7/23		0,00	2,10
Solades	2023	3/7/23	SullicaB	0,24	2,10
Solades	2023	4/7/23	Urea	0,33	2,10
Solades	2023	5/7/23	Urea	0,19	2,10
Solades	2023	6/7/23	SullicaB	0,18	2,10
Solades	2023	7/7/23	Urea	0,24	2,10
Solades	2023	8/7/23		0,00	2,10
Solades	2023	9/7/23		0,00	2,10
Solades	2023	10/7/23	SullicaB	0,12	2,10
Solades	2023	11/7/23	Cloruro de Potasa	0,82	2,10
Solades	2023	12/7/23	Cloruro de Potasa	0,43	2,10
Solades	2023	13/7/23	SullicaB	0,19	2,10
Solades	2023	14/7/23	Cloruro de Potasa	0,19	2,10
Solades	2023	15/7/23		0,00	2,10
Solades	2023	16/7/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	17/7/23	SullicaB	0,15	2,10
Solades	2023	18/7/23	Cloruro de Potasa	0,74	2,10
Solades	2023	19/7/23	Cloruro de Potasa	0,42	2,10
Solades	2023	20/7/23	SullicaB	0,06	2,10
Solades	2023	21/7/23	Cloruro de Potasa	0,30	2,10
Solades	2023	22/7/23		0,00	2,10
Solades	2023	23/7/23		0,00	2,10
Solades	2023	24/7/23		0,00	2,10
Solades	2023	25/7/23	Urea	0,47	2,10
Solades	2023	26/7/23	Cloruro de Potasa	0,29	2,10
Solades	2023	27/7/23	Urea	0,48	2,10
Solades	2023	28/7/23		0,00	2,10
Solades	2023	29/7/23		0,00	2,10
Solades	2023	30/7/23		0,00	2,10
Solades	2023	31/7/23	Cloruro de Potasa	0,31	2,10
Solades	2023	1/8/23	Urea	0,64	2,10
Solades	2023	2/8/23	Urea	0,61	2,10
Solades	2023	3/8/23	SullicaB	0,07	2,10
Solades	2023	4/8/23	Cloruro de Potasa	0,74	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	5/8/23		0,00	2,10
Solades	2023	6/8/23		0,00	2,10
Solades	2023	7/8/23	SullicaB	0,06	2,10
Solades	2023	8/8/23	Cloruro de Potasa	0,76	2,10
Solades	2023	9/8/23	Cloruro de Potasa	0,72	2,10
Solades	2023	10/8/23	SullicaB	0,06	2,10
Solades	2023	11/8/23	Urea	0,60	2,10
Solades	2023	12/8/23		0,00	2,10
Solades	2023	13/8/23		0,00	2,10
Solades	2023	14/8/23	Cloruro de Potasa	0,75	2,10
Solades	2023	15/8/23	Bioqel	0,11	2,10
Solades	2023	16/8/23	Bioqel	0,11	2,10
Solades	2023	17/8/23	Urea	0,57	2,10
Solades	2023	18/8/23	SullicaB	0,11	2,10
Solades	2023	21/8/23	SullicaB	0,09	2,10
Solades	2023	22/8/23	Urea	0,58	2,10
Solades	2023	23/8/23	Cloruro de Potasa	0,23	2,10
Solades	2023	24/8/23	Cloruro de Potasa	0,63	2,10
Solades	2023	25/8/23	SullicaB	0,12	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	26/8/23		0,00	2,10
Solades	2023	28/8/23	SullicaB	0,10	2,10
Solades	2023	29/8/23	Urea	0,15	2,10
Solades	2023	30/8/23	Urea	0,67	2,10
Solades	2023	31/8/23	SullicaB	0,18	2,10
Solades	2023	1/9/23	Urea	0,79	2,10
Solades	2023	1/9/23	Five TT Transport Tnf	0,02	0,00
Solades	2023	9/9/23		0,00	2,10
Solades	2023	11/9/23	SullicaB	0,07	2,10
Solades	2023	12/9/23	Urea	0,92	2,10
Solades	2023	12/9/23	Five TT Transport Tnf	0,01	0,00
Solades	2023	27/9/23	Urea	0,82	2,10
Solades	2023	27/9/23	Five TT Transport Tnf	0,02	0,00
Solades	2023	28/9/23	Urea	0,67	2,10
Solades	2023	28/9/23	Five TT Transport Tnf	0,02	0,00
Solades	2023	30/9/23		0,00	2,10
Solades	2023	2/10/23	Novain L Hemung	1,26	2,10
Solades	2023	2/10/23	Urea	0,12	0,00
Solades	2023	3/10/23	Novain L Hemung	1,59	2,10



# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	3/10/23	Five TT Transport Tnf	0,03	0,00
Solades	2023	4/10/23	Novain L Hemung	1,56	2,10
Solades	2023	5/10/23	Novain L Hemung	1,57	2,10
Solades	2023	7/10/23		0,00	2,10
Solades	2023	10/10/23	Novain L Hemung	1,49	2,10
Solades	2023	11/10/23	Novain L Hemung	1,52	2,10
Solades	2023	13/10/23	Novain L Hemung	1,56	2,10
Solades	2023	14/10/23		0,00	2,10
Solades	2023	16/10/23	SullicaB	0,47	2,10
Solades	2023	17/10/23	Novain L Hemung	1,55	2,10
Solades	2023	19/10/23	Novain L Hemung	0,86	2,10
Solades	2023	21/10/23		0,00	2,10
Solades	2023	23/10/23	SullicaB	0,07	2,10
Solades	2023	24/10/23	Novain L Hemung	0,73	2,10
Solades	2023	26/10/23	Cloruro de Potasa	1,53	2,10
Solades	2023	30/10/23	SullicaB	0,30	2,10
Solades	2023	31/10/23	Cloruro de Potasa	1,53	2,10
Solades	2023	2/11/23		0,00	2,10
Solades	2023	4/11/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Solades	2023	6/11/23		0,00	2,10
Solades	2023	8/11/23		0,00	2,10
Solades	2023	11/11/23		0,00	2,10
Solades	2023	13/11/23		0,00	2,10
Solades	2023	14/11/23		0,00	2,10
Solades	2023	16/11/23		0,00	2,10
Solades	2023	18/11/23		0,00	2,10
Solades	2023	20/11/23		0,00	2,10
Solades	2023	22/11/23		0,00	2,10
Solades	2023	25/11/23		0,00	2,10
Solades	2023	27/11/23		0,00	2,10
Solades	2023	29/11/23		0,00	2,10
Solades	2023	2/12/23		0,00	2,10
Solades	2023	4/12/23		0,00	2,10
Solades	2023	7/12/23		0,00	2,10
Solades	2023	11/12/23		0,00	2,10
Solades	2023	18/12/23		0,00	2,10
Solades	2023	21/12/23		0,00	2,10
Solades	2023	27/12/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	4/1/23		0,00	2,10
Cariñena	2023	11/1/23		0,00	2,10
Cariñena	2023	13/1/23		0,00	2,10
Cariñena	2023	17/1/23		0,00	2,10
Cariñena	2023	20/1/23		0,00	2,10
Cariñena	2023	24/1/23		0,00	2,10
Cariñena	2023	27/1/23		0,00	2,10
Cariñena	2023	31/1/23		0,00	2,10
Cariñena	2023	3/2/23		0,00	2,10
Cariñena	2023	21/2/23		0,00	1,05
Cariñena	2023	25/2/23		0,00	2,10
Cariñena	2023	1/3/23	SullicaB	0,19	2,10
Cariñena	2023	4/3/23		0,00	2,10
Cariñena	2023	7/3/23	SullicaB	0,19	2,10
Cariñena	2023	9/3/23		0,00	1,05
Cariñena	2023	11/3/23		0,00	2,10
Cariñena	2023	14/3/23	Materia Orgánica	0,76	2,10
Cariñena	2023	16/3/23	Materia Orgánica	0,76	2,10
Cariñena	2023	18/3/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	21/3/23	Materia Orgánica	0,38	2,10
Cariñena	2023	23/3/23	Materia Orgánica	0,38	2,10
Cariñena	2023	25/3/23		0,00	2,10
Cariñena	2023	28/3/23	SullicaB	0,45	2,10
Cariñena	2023	29/3/23	Urea	0,38	2,10
Cariñena	2023	29/3/23	Five TT Transport Tnf	0,01	0,00
Cariñena	2023	31/3/23	SullicaB	0,38	2,10
Cariñena	2023	1/4/23		0,00	2,10
Cariñena	2023	3/4/23	SullicaB	0,38	2,10
Cariñena	2023	5/4/23	Urea	0,07	2,10
Cariñena	2023	6/4/23	SullicaB	0,38	2,10
Cariñena	2023	8/4/23		0,00	2,10
Cariñena	2023	11/4/23	SullicaB	0,19	2,10
Cariñena	2023	12/4/23	SullicaB	0,38	2,10
Cariñena	2023	14/4/23	SullicaB	0,11	2,10
Cariñena	2023	15/4/23		0,00	2,10
Cariñena	2023	17/4/23		0,00	2,10
Cariñena	2023	19/4/23	Sulfato de Hierro	0,27	2,10
Cariñena	2023	19/4/23	Five TT Transport Tnf	0,01	0,00

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	20/4/23	Sulfato de Hierro	0,15	2,10
Cariñena	2023	20/4/23	Five TT Transport Tnf	0,00	0,00
Cariñena	2023	22/4/23		0,00	2,10
Cariñena	2023	24/4/23		0,00	2,10
Cariñena	2023	25/4/23		0,00	2,10
Cariñena	2023	26/4/23	SullicaB	0,19	2,10
Cariñena	2023	27/4/23	SullicaB	0,19	2,10
Cariñena	2023	29/4/23		0,00	2,10
Cariñena	2023	1/5/23	SullicaB	0,08	2,10
Cariñena	2023	2/5/23	SullicaB	0,08	2,10
Cariñena	2023	3/5/23	SullicaB	0,15	2,10
Cariñena	2023	4/5/23	SullicaB	0,19	2,10
Cariñena	2023	6/5/23		0,00	2,10
Cariñena	2023	8/5/23	SullicaB	0,19	2,10
Cariñena	2023	9/5/23	SullicaB	0,38	2,10
Cariñena	2023	10/5/23	SullicaB	0,08	2,10
Cariñena	2023	11/5/23	SullicaB	0,08	2,10
Cariñena	2023	13/5/23		0,00	2,10
Cariñena	2023	15/5/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	16/5/23	Bioqel	0,30	2,10
Cariñena	2023	17/5/23	Urea	0,61	2,10
Cariñena	2023	18/5/23	Urea	0,91	2,10
Cariñena	2023	20/5/23		0,00	2,10
Cariñena	2023	22/5/23	SullicaB	0,00	2,10
Cariñena	2023	23/5/23	Sulfato de Manganeso	0,76	2,10
Cariñena	2023	6/6/23	Haifa Mag	0,45	2,10
Cariñena	2023	7/6/23	Haifa Mag	0,38	2,10
Cariñena	2023	8/6/23	Haifa Mag	0,27	2,10
Cariñena	2023	10/6/23		0,00	2,10
Cariñena	2023	12/6/23	Haifa Mag	0,27	2,10
Cariñena	2023	13/6/23	Sulfato de Zinc	0,38	2,10
Cariñena	2023	16/6/23	Urea	0,27	2,10
Cariñena	2023	17/6/23		0,00	2,10
Cariñena	2023	19/6/23	Urea	0,27	2,10
Cariñena	2023	20/6/23	SullicaB	0,38	2,10
Cariñena	2023	21/6/23	SullicaB	0,38	2,10
Cariñena	2023	22/6/23	ACM Magnesio	0,30	2,10
Cariñena	2023	24/6/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	26/6/23	SullicaB	0,38	2,10
Cariñena	2023	27/6/23	Urea	0,27	2,10
Cariñena	2023	28/6/23	Urea	0,27	2,10
Cariñena	2023	29/6/23	FicoLim	0,00	2,10
Cariñena	2023	30/6/23	FicoLim	0,00	2,10
Cariñena	2023	1/7/23		0,00	2,10
Cariñena	2023	3/7/23	SullicaB	0,19	2,10
Cariñena	2023	4/7/23	Urea	0,57	2,10
Cariñena	2023	5/7/23	Urea	0,27	2,10
Cariñena	2023	6/7/23	SullicaB	0,38	2,10
Cariñena	2023	7/7/23	Urea	0,17	2,10
Cariñena	2023	8/7/23		0,00	2,10
Cariñena	2023	9/7/23		0,00	2,10
Cariñena	2023	10/7/23	SullicaB	0,15	2,10
Cariñena	2023	11/7/23	Sulfato de Zinc	0,15	2,10
Cariñena	2023	12/7/23	Sulfato de Zinc	0,23	2,10
Cariñena	2023	13/7/23	SullicaB	0,19	2,10
Cariñena	2023	14/7/23	Urea	0,19	2,10
Cariñena	2023	15/7/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	16/7/23		0,00	2,10
Cariñena	2023	17/7/23	SullicaB	0,11	2,10
Cariñena	2023	18/7/23	Cloruro de Potasa	0,38	2,10
Cariñena	2023	19/7/23	Cloruro de Potasa	0,38	2,10
Cariñena	2023	20/7/23	SullicaB	0,04	2,10
Cariñena	2023	21/7/23	Cloruro de Potasa	0,19	2,10
Cariñena	2023	22/7/23		0,00	2,10
Cariñena	2023	23/7/23		0,00	2,10
Cariñena	2023	24/7/23		0,00	2,10
Cariñena	2023	25/7/23	Urea	0,27	2,10
Cariñena	2023	26/7/23	Cloruro de Potasa	0,17	2,10
Cariñena	2023	27/7/23	Urea	0,33	2,10
Cariñena	2023	28/7/23		0,00	2,10
Cariñena	2023	29/7/23		0,00	2,10
Cariñena	2023	30/7/23		0,00	2,10
Cariñena	2023	31/7/23	Cloruro de Potasa	0,19	2,10
Cariñena	2023	1/8/23	Urea	0,45	2,10
Cariñena	2023	2/8/23	Urea	0,45	2,10
Cariñena	2023	3/8/23	SullicaB	0,23	2,10



# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	4/8/23	Cloruro de Potasa	0,38	2,10
Cariñena	2023	5/8/23		0,00	2,10
Cariñena	2023	6/8/23		0,00	2,10
Cariñena	2023	7/8/23	SullicaB	0,15	2,10
Cariñena	2023	8/8/23	Cloruro de Potasa	0,99	2,10
Cariñena	2023	9/8/23	Cloruro de Potasa	0,99	2,10
Cariñena	2023	10/8/23	SullicaB	0,15	2,10
Cariñena	2023	11/8/23	Urea	0,91	2,10
Cariñena	2023	12/8/23		0,00	2,10
Cariñena	2023	13/8/23		0,00	2,10
Cariñena	2023	14/8/23	Cloruro de Potasa	1,21	2,10
Cariñena	2023	15/8/23	Bioqel	0,09	2,10
Cariñena	2023	16/8/23	Bioqel	0,09	2,10
Cariñena	2023	17/8/23	Urea	0,99	2,10
Cariñena	2023	18/8/23	SullicaB	0,08	2,10
Cariñena	2023	21/8/23	SullicaB	0,04	2,10
Cariñena	2023	22/8/23	Urea	0,95	2,10
Cariñena	2023	23/8/23	Cloruro de Potasa	0,87	2,10
Cariñena	2023	24/8/23	Cloruro de Potasa	0,91	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	25/8/23	SullicaB	0,04	2,10
Cariñena	2023	26/8/23		0,00	2,10
Cariñena	2023	29/8/23	Urea	0,38	2,10
Cariñena	2023	30/8/23	Urea	0,38	2,10
Cariñena	2023	31/8/23	SullicaB	0,08	2,10
Cariñena	2023	1/9/23	Cloruro de Potasa	0,38	2,10
Cariñena	2023	1/9/23	Five TT Transport Tnf	0,02	0,00
Cariñena	2023	9/9/23		0,00	2,10
Cariñena	2023	11/9/23		0,00	2,10
Cariñena	2023	12/9/23	Cloruro de Potasa	0,23	2,10
Cariñena	2023	12/9/23	Five TT Transport Tnf	0,02	0,00
Cariñena	2023	27/9/23	Urea	0,38	2,10
Cariñena	2023	27/9/23	Five TT Transport Tnf	0,02	0,00
Cariñena	2023	28/9/23	Urea	0,15	2,10
Cariñena	2023	28/9/23	Five TT Transport Tnf	0,02	0,00
Cariñena	2023	30/9/23		0,00	2,10
Cariñena	2023	2/10/23	Urea	1,06	2,10
Cariñena	2023	3/10/23	Urea	1,02	2,10
Cariñena	2023	3/10/23	Five TT Transport Tnf	0,04	0,00

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

<b>Cabezal</b>	<b>Año</b>	<b>Fecha</b>	<b>Producto</b>	<b>kg/hg</b>	<b>m3</b>
Cariñena	2023	4/10/23	Urea	1,10	2,10
Cariñena	2023	5/10/23	Urea	1,10	2,10
Cariñena	2023	7/10/23		0,00	2,10
Cariñena	2023	10/10/23	Novain L Hemung	0,82	2,10
Cariñena	2023	11/10/23	Novain L Hemung	0,77	2,10
Cariñena	2023	13/10/23	Novain L Hemung	0,76	2,10
Cariñena	2023	14/10/23		0,00	2,10
Cariñena	2023	16/10/23	SullicaB	0,09	2,10
Cariñena	2023	17/10/23	Novain L Hemung	0,78	2,10
Cariñena	2023	19/10/23	Novain L Hemung	0,85	2,10
Cariñena	2023	21/10/23		0,00	2,10
Cariñena	2023	23/10/23	SullicaB	0,04	2,10
Cariñena	2023	24/10/23	Cloruro de Potasa	1,13	2,10
Cariñena	2023	26/10/23	Novain L Hemung	2,73	2,10
Cariñena	2023	30/10/23	SullicaB	0,63	2,10
Cariñena	2023	31/10/23	Cloruro de Potasa	1,16	2,10
Cariñena	2023	2/11/23		0,00	2,10
Cariñena	2023	4/11/23		0,00	2,10
Cariñena	2023	6/11/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cariñena	2023	8/11/23		0,00	2,10
Cariñena	2023	11/11/23		0,00	2,10
Cariñena	2023	13/11/23		0,00	2,10
Cariñena	2023	14/11/23		0,00	2,10
Cariñena	2023	16/11/23		0,00	2,10
Cariñena	2023	18/11/23		0,00	2,10
Cariñena	2023	20/11/23		0,00	2,10
Cariñena	2023	22/11/23		0,00	2,10
Cariñena	2023	25/11/23		0,00	2,10
Cariñena	2023	27/11/23		0,00	2,10
Cariñena	2023	29/11/23		0,00	2,10
Cariñena	2023	2/12/23		0,00	2,10
Cariñena	2023	4/12/23		0,00	2,10
Cariñena	2023	7/12/23		0,00	2,10
Cariñena	2023	11/12/23		0,00	2,10
Cariñena	2023	18/12/23		0,00	2,10
Cariñena	2023	21/12/23		0,00	2,10
Cariñena	2023	27/12/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	4/1/23		0,00	2,10
Cap de Terme	2023	11/1/23		0,00	2,10
Cap de Terme	2023	13/1/23		0,00	2,10
Cap de Terme	2023	17/1/23		0,00	2,10
Cap de Terme	2023	20/1/23		0,00	2,10
Cap de Terme	2023	24/1/23		0,00	2,10
Cap de Terme	2023	27/1/23		0,00	2,10
Cap de Terme	2023	31/1/23		0,00	2,10
Cap de Terme	2023	3/2/23		0,00	2,10
Cap de Terme	2023	21/2/23		0,00	1,05
Cap de Terme	2023	25/2/23		0,00	2,10
Cap de Terme	2023	1/3/23	SullicaB	0,15	2,10
Cap de Terme	2023	4/3/23		0,00	2,10
Cap de Terme	2023	7/3/23	SullicaB	0,15	2,10
Cap de Terme	2023	9/3/23		0,00	1,05
Cap de Terme	2023	11/3/23		0,00	2,10
Cap de terme	2023	14/3/23	Materia Orgánica	0,67	2,10
Cap de Terme	2023	14/3/23	Materia Orgánica	0,38	2,10
Cap de Terme	2023	16/3/23	Materia Orgánica	0,79	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	18/3/23		0,00	2,10
Cap de Terme	2023	21/3/23	Materia Orgánica	0,60	2,10
Cap de Terme	2023	23/3/23	Materia Orgánica	0,60	2,10
Cap de Terme	2023	25/3/23		0,00	2,10
Cap de Terme	2023	28/3/23	SullicaB	0,36	2,10
Cap de Terme	2023	29/3/23	Urea	0,42	2,10
Cap de Terme	2023	29/3/23	Five TT Transport Tnf	0,01	0,00
Cap de Terme	2023	31/3/23	SullicaB	0,42	2,10
Cap de Terme	2023	1/4/23		0,00	2,10
Cap de Terme	2023	3/4/23	SullicaB	0,42	2,10
Cap de Terme	2023	5/4/23	Urea	0,42	2,10
Cap de Terme	2023	6/4/23	SullicaB	0,31	2,10
Cap de Terme	2023	8/4/23		0,00	2,10
Cap de Terme	2023	11/4/23	SullicaB	0,12	2,10
Cap de Terme	2023	12/4/23	SullicaB	0,28	2,10
Cap de Terme	2023	14/4/23	SullicaB	0,18	2,10
Cap de Terme	2023	15/4/23		0,00	2,10
Cap de Terme	2023	17/4/23		0,00	2,10
Cap de Terme	2023	19/4/23	Sulfato de Hierro	0,20	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	19/4/23	Five TT Transport Tnf	0,00	0,00
Cap de Terme	2023	20/4/23	Sulfato de Hierro	0,19	2,10
Cap de Terme	2023	20/4/23	Five TT Transport Tnf	0,00	0,00
Cap de Terme	2023	22/4/23		0,00	2,10
Cap de Terme	2023	24/4/23	SullicaB	0,06	2,10
Cap de Terme	2023	25/4/23	SullicaB	0,30	2,10
Cap de Terme	2023	26/4/23	SullicaB	0,19	2,10
Cap de Terme	2023	27/4/23	SullicaB	0,26	2,10
Cap de Terme	2023	29/4/23		0,00	2,10
Cap de Terme	2023	1/5/23	SullicaB	0,30	2,10
Cap de Terme	2023	2/5/23	SullicaB	0,30	2,10
Cap de Terme	2023	3/5/23	SullicaB	0,31	2,10
Cap de Terme	2023	4/5/23	SullicaB	0,31	2,10
Cap de Terme	2023	6/5/23		0,00	2,10
Cap de Terme	2023	8/5/23	SullicaB	0,22	2,10
Cap de Terme	2023	9/5/23	SullicaB	0,23	2,10
Cap de Terme	2023	10/5/23	SullicaB	0,06	2,10
Cap de Terme	2023	11/5/23		0,00	2,10
Cap de Terme	2023	13/5/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	15/5/23		0,00	2,10
Cap de Terme	2023	16/5/23	Bioqel	0,29	2,10
Cap de Terme	2023	17/5/23	Urea	0,48	2,10
Cap de Terme	2023	18/5/23	Urea	0,96	2,10
Cap de Terme	2023	20/5/23		0,00	2,10
Cap de Terme	2023	22/5/23	SullicaB	0,00	2,10
Cap de Terme	2023	23/5/23	Sulfato de Manganeso	0,78	2,10
Cap de Terme	2023	6/6/23	Haifa Mag	0,48	2,10
Cap de Terme	2023	7/6/23	Haifa Mag	0,54	2,10
Cap de Terme	2023	8/6/23	Haifa Mag	0,23	2,10
Cap de Terme	2023	10/6/23		0,00	2,10
Cap de Terme	2023	12/6/23	Haifa Mag	0,22	2,10
Cap de Terme	2023	13/6/23	Sulfato de Zinc	0,44	2,10
Cap de Terme	2023	16/6/23	Urea	0,29	2,10
Cap de Terme	2023	17/6/23		0,00	2,10
Cap de Terme	2023	19/6/23	Urea	0,29	2,10
Cap de Terme	2023	20/6/23	SullicaB	0,25	2,10
Cap de Terme	2023	21/6/23	SullicaB	0,31	2,10
Cap de Terme	2023	22/6/23	ACM Magnesio	0,31	2,10



# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	24/6/23		0,00	2,10
Cap de Terme	2023	26/6/23	SullicaB	0,19	2,10
Cap de Terme	2023	27/6/23	Urea	0,29	2,10
Cap de Terme	2023	28/6/23	Urea	0,29	2,10
Cap de Terme	2023	29/6/23	FicoLim	0,00	2,10
Cap de Terme	2023	30/6/23	FicoLim	0,00	2,10
Cap de Terme	2023	1/7/23		0,00	2,10
Cap de Terme	2023	3/7/23	SullicaB	0,24	2,10
Cap de Terme	2023	4/7/23	Urea	0,31	2,10
Cap de Terme	2023	5/7/23	Urea	0,35	2,10
Cap de Terme	2023	6/7/23	SullicaB	0,24	2,10
Cap de Terme	2023	7/7/23	Urea	0,28	2,10
Cap de Terme	2023	8/7/23		0,00	2,10
Cap de Terme	2023	9/7/23		0,00	2,10
Cap de Terme	2023	10/7/23	SullicaB	0,21	2,10
Cap de Terme	2023	11/7/23	Cloruro de Potasa	0,49	2,10
Cap de Terme	2023	12/7/23	Cloruro de Potasa	0,36	2,10
Cap de Terme	2023	13/7/23	SullicaB	0,12	2,10
Cap de Terme	2023	14/7/23	Cloruro de Potasa	0,20	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	15/7/23		0,00	2,10
Cap de Terme	2023	16/7/23		0,00	2,10
Cap de Terme	2023	17/7/23	SullicaB	0,11	2,10
Cap de Terme	2023	18/7/23	Cloruro de Potasa	0,47	2,10
Cap de Terme	2023	19/7/23	Cloruro de Potasa	0,23	2,10
Cap de Terme	2023	20/7/23		0,00	2,10
Cap de Terme	2023	21/7/23	Cloruro de Potasa	0,30	2,10
Cap de Terme	2023	22/7/23		0,00	2,10
Cap de Terme	2023	23/7/23		0,00	2,10
Cap de Terme	2023	24/7/23		0,00	2,10
Cap de Terme	2023	25/7/23	Urea	0,34	2,10
Cap de Terme	2023	26/7/23	Cloruro de Potasa	0,34	2,10
Cap de Terme	2023	27/7/23	Urea	0,45	2,10
Cap de Terme	2023	28/7/23		0,00	2,10
Cap de Terme	2023	29/7/23		0,00	2,10
Cap de Terme	2023	30/7/23		0,00	2,10
Cap de Terme	2023	31/7/23	Cloruro de Potasa	0,37	2,10
Cap de Terme	2023	1/8/23	Urea	0,62	2,10
Cap de Terme	2023	2/8/23	Urea	0,61	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	3/8/23	SullicaB	0,06	2,10
Cap de Terme	2023	4/8/23	Cloruro de Potasa	0,45	2,10
Cap de Terme	2023	5/8/23		0,00	2,10
Cap de Terme	2023	6/8/23		0,00	2,10
Cap de Terme	2023	7/8/23	SullicaB	0,07	2,10
Cap de Terme	2023	8/8/23	Cloruro de Potasa	0,46	2,10
Cap de Terme	2023	9/8/23	Cloruro de Potasa	0,46	2,10
Cap de Terme	2023	10/8/23	SullicaB	0,06	2,10
Cap de Terme	2023	11/8/23	Urea	0,62	2,10
Cap de Terme	2023	12/8/23		0,00	2,10
Cap de Terme	2023	13/8/23		0,00	2,10
Cap de Terme	2023	14/8/23	Cloruro de Potasa	0,59	2,10
Cap de Terme	2023	15/8/23	Bioqel	0,11	2,10
Cap de Terme	2023	16/8/23	Bioqel	0,11	2,10
Cap de Terme	2023	17/8/23	Urea	0,64	2,10
Cap de Terme	2023	18/8/23	SullicaB	0,12	2,10
Cap de Terme	2023	21/8/23	SullicaB	0,12	2,10
Cap de Terme	2023	22/8/23	Urea	0,65	2,10
Cap de Terme	2023	23/8/23	Cloruro de Potasa	0,59	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	24/8/23	Cloruro de Potasa	0,58	2,10
Cap de Terme	2023	25/8/23	SullicaB	0,10	2,10
Cap de Terme	2023	26/8/23		0,00	2,10
Cap de Terme	2023	29/8/23	Urea	0,36	0,00
Cap de Terme	2023	30/8/23	Urea	0,55	2,10
Cap de Terme	2023	31/8/23	SullicaB	0,16	2,10
Cap de Terme	2023	1/9/23	Urea	0,50	2,10
Cap de Terme	2023	1/9/23	Five TT Transport Tnf	0,02	0,00
Cap de Terme	2023	9/9/23		0,00	2,10
Cap de Terme	2023	11/9/23	SullicaB	0,12	2,10
Cap de Terme	2023	12/9/23	Urea	0,55	2,10
Cap de Terme	2023	12/9/23	Five TT Transport Tnf	0,02	0,00
Cap de Terme	2023	27/9/23	Urea	0,38	2,10
Cap de Terme	2023	27/9/23	Five TT Transport Tnf	0,02	0,00
Cap de Terme	2023	28/9/23	Urea	0,39	2,10
Cap de Terme	2023	28/9/23	Five TT Transport Tnf	0,02	0,00
Cap de Terme	2023	30/9/23		0,00	2,10
Cap de Terme	2023	2/10/23	Novain L Hemung	1,37	2,10
Cap de Terme	2023	3/10/23	Novain L Hemung	1,36	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	3/10/23	Five TT Transport Tnf	0,03	0,00
Cap de Terme	2023	4/10/23	Novain L Hemung	1,36	2,10
Cap de Terme	2023	5/10/23	Novain L Hemung	1,37	2,10
Cap de Terme	2023	7/10/23		0,00	2,10
Cap de Terme	2023	10/10/23	Novain L Hemung	1,34	2,10
Cap de Terme	2023	11/10/23	Novain L Hemung	1,34	2,10
Cap de Terme	2023	13/10/23	Novain L Hemung	1,29	2,10
Cap de Terme	2023	14/10/23		0,00	2,10
Cap de Terme	2023	16/10/23	SullicaB	0,42	2,10
Cap de Terme	2023	17/10/23	Novain L Hemung	1,32	2,10
Cap de Terme	2023	19/10/23	Novain L Hemung	0,89	2,10
Cap de Terme	2023	21/10/23		0,00	2,10
Cap de Terme	2023	23/10/23	SullicaB	0,06	2,10
Cap de Terme	2023	24/10/23	Novain L Hemung	0,65	2,10
Cap de Terme	2023	26/10/23	Cloruro de Potasa	1,88	2,10
Cap de Terme	2023	30/10/23	SullicaB	0,27	2,10
Cap de Terme	2023	31/10/23	Cloruro de Potasa	1,52	2,10
Cap de Terme	2023	2/11/23		0,00	2,10
Cap de Terme	2023	4/11/23		0,00	2,10

# Comunitat de Regants Vila-real



## Consumos de agua y abono hg

Cabezal	Año	Fecha	Producto	kg/hg	m3
Cap de Terme	2023	6/11/23		0,00	2,10
Cap de Terme	2023	8/11/23		0,00	2,10
Cap de Terme	2023	11/11/23		0,00	2,10
Cap de Terme	2023	13/11/23		0,00	2,10
Cap de Terme	2023	14/11/23		0,00	2,10
Cap de Terme	2023	16/11/23		0,00	2,10
Cap de Terme	2023	18/11/23		0,00	2,10
Cap de Terme	2023	20/11/23		0,00	2,10
Cap de Terme	2023	22/11/23		0,00	2,10
Cap de Terme	2023	25/11/23		0,00	2,10
Cap de Terme	2023	27/11/23		0,00	2,10
Cap de Terme	2023	29/11/23		0,00	2,10
Cap de Terme	2023	2/12/23		0,00	2,10
Cap de Terme	2023	4/12/23		0,00	2,10
Cap de Terme	2023	7/12/23		0,00	2,10
Cap de Terme	2023	11/12/23		0,00	2,10
Cap de Terme	2023	18/12/23		0,00	2,10
Cap de Terme	2023	21/12/23		0,00	2,10
Cap de Terme	2023	27/12/23		0,00	2,10